


## BLAGDON

**B06** 


## AIR OPERATED DOUBLE DIAPHRAGM PUMP

**Non-Metallic Series** 

B06 DIMENSIONS



B06 PERFORMANCE



B06 Non-Metallic Pump Performance Curve Performance based on water at ambient temperature

HG-CF-1049 Rev. C - 26.11.09

B06 SPECIFICATIONS

FLUID CONNECTIONS	CAPACITY	MAX SOLIDS	MAX DISCHARGE HEAD	DISPLACEMENT/STROKE
1/4" BSP(F)	0 - 16 Liters/Minute (0 - 3.5 Gallons/Minute)	1 MM (1/16")	51 Meters (167 ft)	0.02 Liters (0.004 UK Gallons)
MAX. WORKING PRESSURE	AIR INLET	TEMPE	RATURE LIMITS	PUMP WEIGHTS :-
5.0 Bar (72.5 psi)	1/4" BSP (F)	Determ	ined by Elastomers	PP :- 1.2 Kg KP :- 1.4 Kg

① Caution - Operating temperature limitations are as follows:	Operating Temperatures		ures
Materials	Maximum	Minimum	Optimum
<b>EPDM</b> - Shows very good water and chemical resistance. Has poor resistance to oils and solvents, but is fair on ketones and alcohols.	212°F	-11°F	50° to 212°F
	100°C	-24°C	10° to 100°C
<b>Santoprene®</b> - Injection moulded thermoplastic elastomer with no fabric layer. Long mechanical flex life. Excellent abrasion resistance.	212°F	-10°F	50° to 212°F
	100°C	-23°C	10° to 100°C
PTFE - Chemically inert, virtually impervious. Very few chemicals are known to react chemically with PTFE: molten alkali metals, turbulent liquid or gaseous fluorine and a few fluoro-chemicals such as chlorine trifluoride or oxygen difluoride which readily liberate free fluorine at elevated temperatures.	356°F	32°F	50° to 212°F
	180°C	0°C	10° to 100°C
<b>Viton®</b> - Shows good resistance to a wide range of oils and solvents : especially all alphatic, aromatic and halogenated hydrocarbons, acids, animal and vegetable oils.	356°F	0°F	75° to 212°F
	180°C	-18°C	24° to 100°C
<b>Polypropylene</b> - High strength, light weight, corrosion resistant polyolefin which easily withstands most chemicals, with no known solvent at room temperature.	158°F	32°F	50° to 140°F
	70°C	0°C	10° to 60°C

B06 PUMP CODE

